

SEMICONDUCTOR STORAGE DEVICE AND REFRESH METHOD FOR THE SAME

FIELD OF THE INVENTION

[0001] The present invention relates to a semiconductor storage device and a method of refreshing the semiconductor storage device. More particularly, the present invention relates to a DRAM (dynamic random access memory) capable of inserting a refresh operation during ordinary access operation and an improvement in the method of refreshing the DRAM.

BACKGROUND OF THE INVENTION

[0002] Recently, in low-power-consumption use the replacement of SRAMs (static random accesses memory) with DRAMs has become prevalent for the reason that the memory capacity per unit area of DRAMs is much larger than that of SRAMs. However, DRAM memory cells require the data stored to be refreshed, which is not necessary for SRAMs. Therefore there is a demand for enabling DRAMs to be used by the same method as that for SRAMs in such a manner that automatic refresh using an internal circuit in DRAMs is performed instead of refresh using an external circuit such as a refresh controller.

[0003] Japanese Patent Laid-Open Publication No. 2002-298574 incorporated herein by reference discloses a DRAM using a system in which ordinary read or write operation (hereinafter referred to as "ordinary access operation" or simply as "access operation") and a refresh operation are inserted in a cycle time (hereinafter referred to as "external cycle time"). In this system, since a time period for access and a time period for refresh are secured in an external cycle time, refresh can be performed anytime without postponing ordinary access. A time period for access and a time period for refresh are substantially equal to each other and, therefore, they will hereinafter be referred to collectively as "internal cycle time".

[0004] The external cycle time for this DRAM is actual cycle time, which determines the operating speed. To increase the operating speed of this DRAM, therefore, it is necessary

Deleted: Specification1

Formatted: Font: Times New

Formatted: g

Formatted: Font: Times New

Deleted: 1. Title of the

Invention:1
1
Semiconductor storage device
and refresh method for the
same12. Detailed Description of
the Invention:1
Formatted: ... [1]

Formatted: ... [2]

Deleted: 1

Formatted: Font: Times New

Formatted: Left

Formatted: Font: Times New

Formatted: ... [3]

Formatted: Font: Times New

Formatted: ... [4]

Formatted: ... [5]

Formatted: Font: Times New

Formatted: Left

Deleted: 1

Formatted: ... [6]

Deleted: art1

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: ... [7]

Formatted: ... [8]

Deleted: DRAMs, however, ... [9]

Formatted: ... [10]

Formatted: Font: Times New

Formatted: ... [11]

Deleted: Patent document ... [12]

Formatted: ... [13]

Formatted: ... [14]

Formatted: Font: Times New

Formatted: ... [15]

Formatted: Font: Times New

Formatted: ... [16]

Formatted: ... [17]

Formatted: Page Number

to reduce the external cycle time. To achieve a reduction in external cycle time, it is necessary to reduce the internal cycle time to a length of time equal to or smaller than half the external cycle time. It is difficult to reduce the external cycle time. This DRAM was designed to enable refresh at any time by securing the internal cycle time for refresh in each external cycle time period. Therefore, only half the real ability of this RAM is used and speedup of this DRAM is difficult.

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] Figure 1 is a functional block diagram showing the entire configuration of a DRAM which represents an embodiment of the present invention.

[0006] Figure 2 is a functional block diagram showing the configurations of a decoder block and a decoder control circuit shown in Figure 1.

[0007] Figure 3 is a functional block diagram showing the configuration of an address selector and a refresh circuit shown in Figure 2.

[0008] Figure 4 is a timing chart showing the readout and refresh operations of the DRAM shown in Figures 1 to 3.

[0009] Figure 5 is a functional block diagram showing the configuration of a block control circuit shown in Figure 2.

[0010] Figure 6 is a functional block diagram showing the configuration of the address selector shown in Figures 2 and 3.

[0011] Figure 7 is a timing chart showing the operation of the address selector shown in Figure 6.

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Deleted: (Patent document)

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Deleted: J
Japanese Patent Laid-Open
Publication No. 2002-298574
[Problem to be solved by the

Formatted: Font: Times New

Deleted:)

Formatted: Font: Times New

Formatted: Page Number

[0012] Figure 8 is a timing chart showing the burst refresh operation of the DRAM shown in Figures 1 to 3;

[0013] Figure 9 is a timing chart showing the burst refresh operation as is shown in Figure 8, and particularly showing the operation with respect to various numbers set as N number of ordinary access operations inserted after a refresh operation; and

[0014] Figure 10 is a timing chart showing cases of operation when $N = 5$, corresponding to the case shown in Figure 9(F): a case (A) where only access operation is performed; a case (B) where refresh and access operations are mixed; and a case (C) where only refresh operation is performed.

SUMMARY OF THE INVENTION

[0015] A main object of the present invention is to provide a semiconductor storage device capable of inserting refresh during ordinary access and capable of speedup and a method for refresh of the storage device.

[0016] A semiconductor storage device in accordance with the present invention has a memory cell array, refresh means, address selection means, word line selection means and selection stop means. The memory cell array includes a plurality of word lines. The refresh means makes a request for refresh and sequentially generates refresh addresses. The address selection means selects access addresses when a request for access is made, and selects the refresh addresses when the request for refresh is made. The word line selection means selects the word lines according to addresses selected by the address selection means. The selection stop means stops address selection performed by the address selection means when the access or the refresh is being performed in the memory cell array.

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Deleted: [Summary of the invention]§

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Page Number

[0017] A refresh method in accordance with the present invention has a step of making a request for refresh and sequentially generating refresh addresses, an address selection step of selecting an access address when a request for access is made, and selecting from the refresh addresses when the request for refresh is made; a word line selection step of selecting from the word lines according to the selected addresses; and a selection stop step of stopping selection from the access addresses and the refresh addresses when the access or the refresh is being performed in the memory cell array.

[0018] According to the present invention, access addresses are selected when a request for access is made, refresh addresses are selected when a request for refresh is made, and word lines are selected according to the addresses thereby selected. Therefore, a refresh can be inserted during ordinary access. When access or refresh is being performed in the memory cell array, the above-mentioned selection of addresses is stopped. In a case where a request for refresh is made prior to a request for access, therefore, the refresh is performed with priority, and the access subsequently requested is postponed until the refresh started before is completed. Conversely, in a case where a request for access is made prior to a request for refresh, the access is performed with priority, and the refresh subsequently requested is postponed until the access started before is completed. Consequently, the internal cycle time is increased relative to the external cycle time and the external cycle time is thereby reduced to increase the operating speed.

[0019] Preferably, the memory cell array is divided into a plurality of blocks. The above-described semiconductor storage device further has block selection means for selecting from the blocks in response to the address selected by the address selection means. The selection stop means stop the address selection means from performing address selection when the access or the refresh is being performed on the block selected by the block selection means. The above-described refresh method further includes a step of selecting from the blocks in response to the selected address. The selection stop step includes stopping selection from the access addresses and the refresh addresses when the access or the refresh on the selected block is being performed.

Formatted	...	[18]
Formatted	...	[19]
Formatted	...	[20]
Formatted	...	[21]
Formatted	...	[22]
Formatted	...	[23]
Formatted	...	[24]
Formatted	...	[25]
Formatted	...	[26]
Formatted	...	[27]
Formatted	...	[28]
Formatted	...	[29]
Formatted	...	[30]
Formatted	...	[31]
Formatted	...	[32]
Formatted	...	[33]
Formatted	...	[34]
Formatted	...	[35]
Formatted	...	[36]
Formatted	...	[37]
Formatted	...	[38]
Formatted	...	[39]
Formatted	...	[40]
Formatted	...	[41]
Formatted	...	[42]
Formatted	...	[43]
Formatted	...	[44]
Formatted	...	[45]
Formatted	...	[46]
Formatted	...	[47]
Formatted	...	[48]
Formatted	...	[49]
Formatted	...	[50]
Formatted	...	[51]
Formatted	...	[52]
Formatted	...	[53]
Formatted	...	[54]
Formatted	...	[55]
Formatted	...	[56]
Formatted	...	[57]
Formatted	...	[58]
Formatted	...	[59]
Formatted	...	[60]
Formatted	...	[61]
Formatted	...	[62]
Formatted	...	[63]
Formatted	...	[64]
Formatted	...	[65]

[0020] Further, preferably, in the above-described semiconductor storage device, the word line selection means selects all the word lines one after another with respect to each of the blocks in response to the refresh address. In the above-described refresh method, the word line selection step includes selecting all the word lines one after another with respect to each of the blocks in response to the refresh address.

[0021] Since in this case so-called burst refresh is performed on a block-by-block basis, a delay in refresh, if any, can be absorbed during the operation on the selected block and is not carried over to the operation on any of the other blocks.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

[0022] An embodiment of the present invention will be described in detail with reference to the drawings. Identical or corresponding portions are indicated by the same reference symbols and the same description will not be repeated.

[0023] Referring to Figure 1, a DRAM 10 which represents an embodiment of the present invention has a memory cell array 12 including $64M (= 4 \times 2^{20})$ memory cells MC and $4K (= 4 \times 2^{10})$ wordlines WL. The memory cell array 12 is divided into 16 access array blocks (hereinafter referred to simply as "blocks") BK. Each block BK includes 256 word lines WL, $16K (= 16 \times 2^{10})$ bit lines BL intersecting the word lines WL, and 16K sense amplifiers (not shown) connected to the bit lines BL. Each memory cell MC is connected to the corresponding word line WL and bit line BL.

[0024] The DRAM 10 further has a row decoder 14 and a row decoder control circuit 16 which controls the row decoder 14. The row decoder 14 selects from the word lines WL in response to a row address signal. The row decoder 14 is divided into 16 decoder blocks DB, as is the memory cell array 12.

[0025] Figure 2 shows the row decoder control circuit 16 and details of one decoder block DB. Referring to Figure 2, the DRAM 10 further has a refresh circuit 17 and an

Formatted: Font: Times New Roman
Formatted ... [66]
Formatted ... [67]

Formatted: Font: Times New Roman
Formatted ... [68]
Formatted: Font: Times New Roman
Formatted ... [69]
Formatted ... [70]
Formatted: Font: Times New Roman
Formatted ... [71]

Deleted:
Formatted ... [72]
Deleted:

Formatted: Font: Times New Roman
Formatted: Font: Times New Roman
Formatted: Font: Times New Roman
Formatted ... [73]
Formatted ... [74]

Formatted: Font: Times New Roman
Formatted ... [75]
Formatted: Font: Times New Roman
Formatted ... [76]

Formatted ... [76]
Formatted ... [77]
Deleted: x

Formatted ... [78]
Deleted: x
Formatted ... [79]

Deleted: x
Formatted ... [80]
Formatted: Font: Times New Roman

Formatted ... [81]
Formatted: Font: Times New Roman
Formatted ... [82]

Formatted ... [82]
Formatted ... [83]
Formatted: Font: Times New Roman

Formatted ... [84]
Formatted: Font: Times New Roman
Formatted ... [85]

Formatted: Font: Times New Roman
Formatted ... [85]
Formatted: Font: Times New Roman

Formatted: Page Number

address selector 18. The refresh circuit 17 generates a refresh enable signal /RE and sequentially generates a refresh row address signals RRA. The address selector 18 selects an access row address signal ERA externally supplied or the refresh row address signal RRA and supplies the selected signal as a row address signal RA to the row decoder control circuit 16. The row decoder control circuit 16 decodes the supplied row address signal RA to generate row address decoded signals ADU and ADL and supplies these signals to the row decoder 14.

Figure 3 shows the address selector 18 and details of the refresh circuit 17. Referring to Figure 3, the refresh circuit 17 includes a refresh timer 30, an address counter 32 and a refresh enable circuit 34. The refresh timer 30 generates a refresh timer signal /RT with a predetermined period. The address counter 32 increments the refresh row address in response to the refresh timer signal /RT to generate the refresh row address signal RRA. The refresh enable circuit 34 generates a refresh enable signal /RE in response to a chip enable signal /CE and the refresh timer signal /RT.

Referring to Figure 4, the chip enable signal /CE is activated to L (logical low) level in each period of external cycle time T_{ec} . Activation of the chip enable signal /CE corresponds to issuing of an access command. When the chip enable signal /CE is activated, the externally supplied access row address signal ERA is taken in the address selector 18 and data is read out from the memory cell MC according to this signal.

If internal cycle time T_{ic} required for readout or refresh operation is set to one half of the external cycle time T_{ec} , a refresh operation can be inserted with reliability even during readout operation. If the memory cell MC retention time is 64 ms, it is necessary to successively select 4K word lines WL at intervals of 16 μs ($= 64 \text{ ms} / 4K$) in order to refresh all the memory cells MC in this time period. Refresh by evenly selecting all the word lines WL one after another with a constant period as described above is called "distributed refresh".

Formatted

... [86]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [87]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [88]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [89]

Deleted: μ

Formatted: Font: Times New

Deleted: +

Formatted

... [90]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Page Number

00291 In the case of distributed refresh, the refresh timer signal /RT is activated to L level with a period of 16 μ s independently of the chip enable signal /CE. When the chip enable signal /CE is activated after activation of the refresh timer signal /RT, the refresh enable signal /RE is activated to L level. Activation of the refresh enable signal /RE corresponds to issuing of a refresh command. After a lapse of a predetermined time period after activation of the refresh enable signal /RE, the refresh timer 30 is reset and the refresh timer signal /RT is returned to H (logical high) level. When the refresh enable signal /RE is activated, the refresh row address signal RRA generated by the address counter 32 is taken in the address selector 18 and the memory cells MC are refreshed according to this signal.

Formatted: Font: Times New

Formatted ... [91]

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 +
Numbering Style: 01, 02, 03, ... +
Start at: 1 + Alignment: Left +
Aligned at: 0 pt + Tab after: 36 pt
+ Indent at: 0 pt

Deleted: ¶

Formatted ... [92]

00300 If the internal cycle time Tic is set to one half of the external cycle time Tec as described above, there is no possibility of a refresh command competing with an access command (readout command in this description) and refresh can be performed anytime. In this embodiment, even when a refresh command competes with an access command in a case where the internal cycle time Tic is set longer than half the external cycle time Tec, the competition therebetween is arbitrated to enable insertion of refresh operation during ordinary access operation.

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 +
Numbering Style: 01, 02, 03, ... +
Start at: 1 + Alignment: Left +
Aligned at: 0 pt + Tab after: 36 pt
+ Indent at: 0 pt

Formatted ... [93]

00311 Referring again to Figure 2, each decoder block DB includes a block enable circuit 20, a row decoder circuit 22, a word line driver 24 and a block control circuit 26. Upper-bit row address decoded signals ADU are supplied to the block enable circuits 20, while lower-bit row address decoded signals ADL are supplied to the row decoder circuits 22. Each block enable circuit 20 generates a block enable signal BE in response to the row address decoded signal ADU to select the corresponding decoder block DB. Each row decoder circuit 22 selects one of the corresponding 256 word lines WL in response to the row address decoded signal ADL. The word line driver 24 drives the selected word line WL. In this embodiment, 12-bit row address signal RA is supplied, a 4-bit signal therein is used for selection from the blocks BK, and the other 8-bit signal is used for selection from the word lines WL.

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 +
Numbering Style: 01, 02, 03, ... +
Start at: 1 + Alignment: Left +
Aligned at: 0 pt + Tab after: 36 pt
+ Indent at: 0 pt

Formatted ... [94]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Page Number

[0032] The block control circuit 26 is activated in response to the block enable signal BE, receives a timing monitor signal TM from the corresponding block BK, and supplies an array control signal AC to the corresponding block BK. The timing monitor signal TM is generated in the corresponding block BK. The array control signal AC is a signal for controlling activation of the sense amplifier, bit line precharge after restoration, etc., with respect to the corresponding block BK. That is, each block control circuit 26 controls the corresponding block BK so that the sequence of operations is completed in a self-completion manner.

[0033] A feature of this embodiment resides in that the DARM 12 further has one busy signal line 28 for generation of a busy signal BUSY. The busy signal line 28 is provided in common through the 16 blocks BK, and extends in the row decoder 14 parallel to bit line pairs BL.

[0034] Figure 5 shows a circuit for generating the busy signal /BUSY. Referring to Figure 5, each block control circuit 26 includes an array access timing control circuit 36, a delay circuit 38 and an n-channel MOS transistor 40. The array access timing control circuit 36 supplies various array control signals AC including a bit line equalization signal BLEQ to the corresponding block BK. The delay circuit 38 delays the bit line equalization signal BLEQ by a predetermined time period. The transistor 40 is turned on in response to the delayed bit line equalization signal BLEQ to pull down the voltage on the busy signal line 28 to ground voltage GND.

[0035] The row decoder control circuit 16 includes a p-channel MOS transistor 42 and an inverter 44. The transistor 42 is turned on in response to an array enable signal /AE to pull up the voltage on the busy signal line 28 to a power supply voltage VDD. The array enable signal /AE is a pulse signal temporarily generated in response to the chip enable signal /CE or the refresh enable signal /RE.

[0036] When an ordinary access operation or a refresh operation on one of the blocks BK is started, the pulse of the array enable signal /AE is applied to the gate of the transistor

Formatted: Font: Times New

Formatted:

[95]

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[96]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[97]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[98]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[99]

Formatted: Page Number

42. The busy line 28 is thereby pulled up to precharge the busy signal BUSY to H level. The busy signal /BUSY is set to L level by the inverter 44 to indicate the one of the blocks BK is operating, thereby prohibiting starting of the next ordinary access operation or refresh operation.

After the completion of the sequence of operations on the selected block BK, and after a lapse of predetermined time period from the time at which the bit line equalization signal BLEQ is output, the transistor 40 is turned on. The busy line 28 is thereby pulled down to return the busy signal /BUSY to L level. The busy signal /BUSY is returned to H level by the inverter 44 to indicate that the operation on the block BK is completed, thereby canceling the prohibition of the next operation.

As described above, the busy signal /BUSY is maintained at H level when none of the blocks BK is selected, and it is set to L level when one of the blocks BK is selected. The busy signal /BUSY is maintained at L level until the sequence of operations on the selected block BK is completed. The busy signal /BUSY is supplied from the row decoder control circuit 16 to the address selector 18. That is, the transistor 42 charges the busy signal line 28 according to an access command or a refresh command and discharges the busy signal line 28 when the access operation or refresh operation on the corresponding block BK is completed. The busy signal line 28, the transistor 42 and the 16 transistors 40 provided in correspondence with the 16 blocks BK are means for activating the busy signal /BUSY in response to an access command or a refresh command and deactivating the busy signal /BUSY when the ordinary access operation or refresh operation on the block BK selected by the block enable circuit 20 is completed.

When the busy signal BUSY is L level, none of the blocks BK is selected and the row decoder control circuit 16 is therefore activated to supply the row address decoded signals ADU and ADL to the row decoder 14. Once one of the blocks BK is selected, the busy signal BUSY is activated to H level, but the row address decoded signals ADU and ADL are maintained in the same state. The row address decoded signals ADU and ADL are not changed regardless of a change in the row address signal RA until the busy signal

Formatted	...	[100]
Formatted	...	[101]
Formatted	...	[102]
Formatted	...	[103]
Formatted	...	[104]
Formatted	...	[105]
Formatted	...	[106]
Formatted	...	[107]
Formatted	...	[108]
Formatted	...	[109]
Formatted	...	[110]
Formatted	...	[111]
Formatted	...	[112]
Formatted	...	[113]
Formatted	...	[114]
Formatted	...	[115]
Formatted	...	[116]
Formatted	...	[117]
Formatted	...	[118]
Formatted	...	[119]
Formatted	...	[120]
Formatted	...	[121]
Formatted	...	[122]
Formatted	...	[123]
Formatted	...	[124]
Formatted	...	[125]
Formatted	...	[126]
Formatted	...	[127]
Formatted	...	[128]
Formatted	...	[129]
Formatted	...	[130]
Formatted	...	[131]
Formatted	...	[132]
Formatted	...	[133]
Formatted	...	[134]
Formatted	...	[135]
Formatted	...	[136]
Formatted	...	[137]
Formatted	...	[138]
Formatted	...	[139]
Formatted	...	[140]
Formatted	...	[141]
Formatted	...	[142]
Formatted	...	[143]
Formatted	...	[144]
Formatted	...	[145]
Formatted	...	[146]

BUSY is returned to L level upon completion of the operation on the preceding block BK.

Figure 6 shows the configuration of the address selector 18. Referring to Figure 6, the address selector 18 includes NAND circuits 46 to 49, inverters 50 and 51, a NOR circuit 52 and a D-type latch circuit 54. N number of NAND circuits 46 to 48 are provided, and N number of D-type latch circuits 54 are provided. In this embodiment, N = 12 since the row address signals ERA, RRA, and RA are 12-bit signals. Twelve NAND circuits 46 input 12-bit access row address signal ERA when the chip enable signal /CE is L level. Twelve NAND circuits 47 input 12-bit refresh row address signal RRA when the refresh enable signal /RE is L level. Twelve NAND circuits 48 output the input 12-bit access row address signal ERA or 12-bit refresh row address signal RRA.

When the busy signal /BUSY is H level, the NAND circuit 49 functions as an inverter. Therefore, when the chip enable signal /CE or the refresh enable signal /RE becomes L level, a latch signal LT supplied from the NAND circuit 49 to the twelve latch circuits 54 becomes H level. When the latch signal LT becomes H level, the twelve latch circuits 54 take in and latch the 12-bit access row address signal ERA or refresh row address signal RRA output from the twelve NAND circuits 48, and output the latched signal as 12-bit row address signal RA. In short, if the busy signal /BUSY is H level, the address selector 18 selects the access row address signal ERA when the chip enable signal /CE is L level, and selects the refresh row address signal RRA when the refresh enable signal /RE is L level.

On the other hand, when the busy signal /BUSY is L level, the latch signal LT is fixed at H level. As long as the busy signal /BUSY is L level, even when the chip enable signal /CE or the refresh enable signal /RE becomes L level and when the next new access row address signal ERA or refresh row address signal RRA is input, the latch circuits 54 continue latching the old access row address signal ERA or refresh row address signal RRA and do not take in the next new access row address signal ERA or refresh row address signal RRA. In other words, the operation of the address selector 18

Formatted	... [147]
Formatted	... [148]
Formatted	... [149]
Formatted	... [150]
Formatted	... [151]
Formatted	... [152]
Formatted	... [153]
Formatted	... [154]
Formatted	... [155]
Formatted	... [156]
Formatted	... [157]
Formatted	... [158]
Formatted	... [159]
Formatted	... [160]
Formatted	... [161]
Formatted	... [162]
Formatted	... [163]
Formatted	... [164]
Formatted	... [165]
Formatted	... [166]
Formatted	... [167]
Formatted	... [168]
Formatted	... [169]
Formatted	... [170]
Formatted	... [171]
Formatted	... [172]
Formatted	... [173]
Formatted	... [174]
Formatted	... [175]
Formatted	... [176]
Formatted	... [177]
Formatted	... [178]
Formatted	... [179]
Formatted	... [180]
Formatted	... [181]
Formatted	... [182]
Formatted	... [183]
Formatted	... [184]
Formatted	... [185]
Formatted	... [186]
Formatted	... [187]
Formatted	... [188]
Formatted	... [189]
Formatted	... [190]
Formatted	... [191]
Formatted	... [192]

when the busy signal /BUSY is L level is such that even when the chip enable signal /CE or the refresh enable signal /RE becomes L level, the address selector 18 ignores the access row address signal ERA or refresh row address signal RRA subsequently supplied and, instead of selecting this signal, continues outputting the access row address signal ERA or refresh row address signal RRA last selected.

[0043] Referring to Figure 7, when the chip enable signal CE is activated, the access operation on the selected block BK is started and the busy signal /BUSY is activated to L level. When the access operation is completed, the busy signal /BUSY is returned to H level. On the other hand, when the refresh enable signal RE is activated, the refresh operation on the selected block BK is started and the busy signal /BUSY is activated to L level. When the refresh operation is completed, the busy signal /BUSY is returned to H level.

[0044] As described above, the DRAM 10 determines the operation to be subsequently performed according to one of an access command and a refresh command coming ahead of the other when the busy signal /BUSY is returned to H level. Thus, the access row address signal ERA externally supplied and the refresh row address signal RRA internally generated are not discriminated from each other and the operation according to a new row address signal RA is postponed until the operation on the preceding block BK is completed. That is, the DRAM 10 prioritizes the operation according to a command coming ahead of another and postpones the operation according to the subsequent command until the preceding operation is completed.

[0045] In a case where distributed refresh is performed by setting the internal cycle time T_{ic} longer than half the external cycle time T_{ec} , there is a tendency of a refresh command to compete with an access command and refresh is necessarily postponed when such competition occurs. In this embodiment, therefore, it is preferable to perform burst refresh on a block basis in such a manner that burst refresh on each block BK is continuously performed in the shortest time through all the 256 word lines WL.

Formatted	...	[193]
Formatted	...	[194]
Formatted	...	[195]
Formatted	...	[196]
Formatted	...	[197]
Formatted	...	[198]
Formatted	...	[199]
Formatted	...	[200]
Formatted	...	[201]
Formatted	...	[202]
Formatted	...	[203]
Formatted	...	[204]
Formatted	...	[205]
Formatted	...	[206]
Formatted	...	[207]
Formatted	...	[208]
Formatted	...	[209]
Formatted	...	[210]
Formatted	...	[211]
Formatted	...	[212]
Formatted	...	[213]
Formatted	...	[214]
Formatted	...	[215]
Formatted	...	[216]
Formatted	...	[217]
Formatted	...	[218]
Formatted	...	[219]
Formatted	...	[220]
Formatted	...	[221]
Formatted	...	[222]
Formatted	...	[223]
Formatted	...	[224]
Formatted	...	[225]
Formatted	...	[226]
Formatted	...	[227]
Formatted	...	[228]
Formatted	...	[229]
Formatted	...	[230]
Formatted	...	[231]
Formatted	...	[232]
Formatted	...	[233]
Formatted	...	[234]
Formatted	...	[235]
Formatted	...	[236]
Formatted	...	[237]
Formatted	...	[238]
Formatted	...	[239]
Formatted	...	[240]

[0046] To refresh each memory cell MC at intervals of 64 ms, a burst refresh start signal is supplied to each of the 16 blocks BK at intervals of 4 ms ($= 64 \text{ ms} / 16$) and burst refresh is continuously performed through the 256 word lines WL in each block BK. In each block BK, therefore, refresh is performed 256 times in the 4 ms period. In actuality, even in a case where the time required for performing refresh one time is 50 ns, the time required for burst refresh is $12.8 \mu\text{s}$ ($= 256 \times 50 \text{ ns}$), extremely short in comparison with 4 ms. Therefore, burst refresh is completed in an initial short time period in the 4 ms period. When an ordinary access command comes during burst refresh, refresh is postponed. In the case of burst refresh on a block basis, however, a delay in refresh is absorbed during the operation on each block BK and is not carried over to any of the other blocks BK, as described below in detail.

[0047] Figure 8 shows a burst refresh operation in a case where access commands A1 and A2 come successively in each period of the minimum external cycle time T_{ec} . A case where the internal cycle time T_{ic} is half the external cycle time T_{ec} , as in the case of the conventional art, is shown in (A), while a case where the internal cycle time T_{ic} is longer than one half of the external cycle time T_{ec} is shown in (B). Description will be made with respect to a case where refresh command R1 comes immediately before an access command A1 and a refresh operation R1 (indicated by the same reference symbol as that for the corresponding command) is thereby started to cause worst conditions in terms of both cycle time and access time for ordinary access operation A1.

[0048] Referring to Figure 8(A), when the refresh command R1 comes immediately before the access command A1, the refresh operation R1 is first started. The refresh operation R1 is completed after a lapse of internal cycle time T_{ic} . Since this refresh is burst refresh, a refresh command is issued each time the preceding ordinary access operation or refresh operation is completed. Therefore another refresh command R2 comes when the refresh operation R1 is completed. At this time, however, the ordinary access operation A1 according to the access command A1 is started since the access command A1 comes at a time T_0 before the time at which the refresh command R2 comes. The ordinary access operation A1 is also completed after a lapse of internal cycle

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Deleted: :

Formatted: ... [241]

Deleted: :

Formatted: Font: Times New

Deleted: x

Formatted: ... [242]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: ... [243]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: ... [244]

Formatted: Page Number

time T_{ic} . This sequence of operations is repeated and refresh operations R1 and R2 in burst refresh and ordinary access operations A1 and A2 are alternately performed. This process will be more concretely below.

[0049] The address selector 18 latches the refresh row address signal RRA in response to the refresh enable signal /RE at L level and supplies the latched refresh address signal RRA to the row decoder control circuit 16. The row decoder control circuit 16 activates the busy signal /BUSY to L level and supplies the row address decoded signals ADU and ADL to the row decoder 14 in response to the refresh row address signal RRA. One block BK is selected in response to the row address decoded signal ADL and one word line WL in the block BK is activated in response to the row address decoded signal ADL to refresh all the memory cells MC connected to the word line WL.

[0050] The chip enable signal /CE is activated to L level during this refresh operation R1 to supply the access row address signal ERA to the address selector 18. However, since the busy signal /BUSY has been activated, the address selector 18 does not latch the access row address signal ERA and continues latching the refresh row address signal RRA last latched.

[0051] When the refresh operation R1 in the selected block BK is completed, the busy signal /BUSY is deactivated to H level. Accordingly, the address selector 18 latches the access row address signal ERA already given, and supplies this signal to the row decoder control circuit 16. Consequently, the ordinary access operation A1 in the selected block BK is performed.

[0052] In the case (A), each ordinary access operation is completed in the external cycle time T_{ec} since the internal cycle time T_{ic} is half the external cycle time T_{ec} . The arrow in the figure indicates the completion of the ordinary access operation from input of the access command. The access time indicated by the arrow is within the external access time T_{ec} , as in the case of SRAMs.

Formatted

[245]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

[246]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

[247]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

[248]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

[249]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Page Number

[0053] In the case (B), the internal access time T_{ic} is the same as that in the case (A) but the external cycle time T_{ec} is shorter than that in the case (A). Referring to Figure 8(B), when the refresh command R1 comes immediately before the access command A1, the refresh operation R1 is first performed. Since this refresh is burst refresh, the next refresh command R2 comes immediately after the completion of the refresh operation R1. At this time, however, the ordinary access operation A1 according to the access command A1 is started since the access command A1 comes at time T_0 before the time at which the refresh command R2 comes. When the ordinary access operation A1 is completed, another refresh command R3 comes. At this time, however, the ordinary access operation A2 according to the access command A2 is started since the access command A2 comes at time T_1 before the time at which the refresh command R3 comes. When the ordinary access operation A2 is completed, another refresh command R4 comes. At this time, the refresh operation R4 according to this refresh command R4 is started since no access command comes before the time at which the refresh command R4 comes.

[0054] In the case (B), the refresh command may be skipped but each memory cell MC is accessed in each period of external cycle time T_{ec} while being refreshed.

[0055] Description will be given with reference to Figure 9 about to which extent the internal cycle time T_{ic} can be extended in a case where the internal cycle time T_{ic} is set longer than one half of the external cycle time T_{ec} .

[0056] The longer the internal cycle time T_{ic} relative to one half of the external cycle time T_{ec} , the less the frequency of insertion of refresh operation. Therefore, a condition for reliably allowing insertion of at least one refresh operation after a certain number of ordinary access operations is required. N number of ordinary access operations are inserted after the internal cycle time ($1 \times T_{ic}$) for the first refresh operation. If the time ($N \times T_{ic}$) required for N number of ordinary access operations is within the N number of periods of the external cycle time ($N \times T_{ec}$), a refresh command comes before the ($N +$

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [250]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [251]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted

... [252]

Deleted: x

Formatted

... [253]

Deleted: x

Formatted

... [254]

Deleted: x

Formatted: Font: Times New

Formatted: Page Number

1)th ordinary access command to start the refresh operation. The condition for insertion of a refresh operation is therefore given by the following expression (1):

$$T_{ic} + N \cdot T_{ic} < N \cdot T_{ec} \quad \dots (1)$$

Expression (1) is modified to obtain the following expression (2):

$$T_{ic} < N/(N+1) \cdot T_{ec} \quad \dots (2)$$

Expression (2) shows that if the internal cycle time T_{ic} is within the $N/(N+1)$ multiple of the external cycle time T_{ec} , a refresh operation is inserted before the $(N+1)$ th ordinary access operation. For example, in the case of $N = 1$, a refresh operation is inserted in every other period if the internal cycle time T_{ic} is shorter than one half of the external cycle time T_{ec} , as shown in Figure 9(A).

As is apparent from expression (2), the internal cycle time T_{ic} becomes closer to the external cycle time T_{ec} if N is increased. That is, if there is no problem when the frequency of insertion of refresh operations is substantially small, the internal cycle time T_{ic} may be set substantially close to the external cycle time T_{ec} .

If N is a finite number as shown in Figures 9(A) to 9(E), a refresh command is skipped N times. If N is an infinite number, the internal cycle time T_{ic} is the same as the external cycle time T_{ec} , a refresh command is skipped an infinite number of times, and no refresh operation is inserted, as shown in Figure 9(F). Even if a refresh command comes immediately before the first access command to insert a refresh operation, an access command necessarily comes one cycle before the completion of the preceding access operation and no refresh operation is therefore inserted after the first access operation. If N is not infinite and if the internal cycle time T_{ic} is slightly shorter than the external cycle time T_{ec} , a refresh operation is unfaillingly inserted.

Formatted ... [255]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Deleted:

Deleted: x

Formatted: Font: Times New

Deleted: x

Formatted ... [256]

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted ... [257]

Formatted: Font: Times New

Formatted: Font: Times New

Formatted ... [258]

Formatted: Font: Times New

Formatted: Font: Times New

Formatted ... [259]

Deleted:

Formatted ... [260]

Formatted: Font: Times New

Deleted: x

Formatted: Font: Times New

Formatted: Font: Times New

Formatted ... [261]

Formatted: Font: Times New

Formatted ... [262]

Formatted ... [263]

Deleted:

Formatted ... [264]

Formatted: Font: Times New

Formatted ... [265]

Formatted: Font: Times New

Formatted ... [266]

Formatted ... [267]

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted ... [269]

Formatted ... [270]

Formatted: Font: Times New

Formatted ... [271]

Formatted: Page Number

[0063] A setting of the upper limit value enabling insertion of refresh operations without exception is then obtained. If the number of word lines per block BK is Nwl, setting a value obtained by multiplying this number by N_{Tec} smaller than a value obtained by dividing the retention time Tr by the number of blocks Nb may suffice. The following expression (3) is therefore obtained.

$$[0064] N_{\text{Tec}} N_{\text{wl}} < \text{Tr}/N_{\text{b}} \quad \dots (3)$$

[0065] Since $N_{\text{wl}} \times N_{\text{b}}$ is the total number Ntl of word lines, expression (3) is modified by using this to obtain the following expression (4):

$$[0066] N < \text{Tr}/(\text{Tec} \times \text{Ntl}) \quad \dots (4)$$

[0067] If the retention time is a typical value of 64 ms; the total number Ntl of word lines is 4K as in this embodiment; and the external cycle time is 50 ns, the upper limit value of N is a substantially large number about 312.

[0068] If $N = 312$ is substituted in expression (2), a refresh operation is necessarily inserted at least one time after 312 cycles even when the internal cycle time Tic is 49.85 μs , which is $0.997 (= 312/313) \times 1$, i.e., 99.7% of the external cycle time Tec to enable refresh through all the word lines to be unfailingly performed, while ordinary access operations are successively inserted in periods of external cycle time Tec.

[0069] However, even in case where N is not as large as this number, the internal cycle time Tic is substantially close to the external cycle time Tec. For example, the internal cycle time Tic can be increased to $4/5 (= 80\%)$ of the external cycle time Tec when $N = 4$, that is, refresh operations are inserted in a proportion of one to four ordinary access operations, as shown in Figure 9(D). From the viewpoint of frequency of insertion of refresh operations, even when the external cycle time is 50 ns, the time required for performing burst refresh 256 times is $64 \mu\text{s} (= 5 \times 50 \text{ ns} \times 256)$. In this case, refresh through the 256th word line is delayed most largely. However, the delay of this refresh is

Formatted	...	[272]
Formatted	...	[273]
Formatted	...	[274]
Deleted: x		
Formatted	...	[275]
Formatted	...	[276]
Formatted	...	[277]
Deleted:		
Formatted	...	[278]
Formatted	...	[279]
Deleted: x		
Formatted	...	[280]
Deleted: x		
Formatted	...	[281]
Formatted	...	[282]
Formatted	...	[283]
Formatted	...	[284]
Formatted	...	[285]
Deleted: x		
Formatted	...	[286]
Formatted	...	[287]
Formatted	...	[288]
Deleted:		
Formatted	...	[289]
Formatted	...	[290]
Deleted: x		
Formatted	...	[291]
Formatted	...	[292]
Formatted	...	[293]
Formatted	...	[294]
Formatted	...	[295]
Formatted	...	[296]
Formatted	...	[297]
Formatted	...	[298]
Formatted	...	[299]
Formatted	...	[300]
Formatted	...	[301]
Deleted: μ		
Formatted	...	[302]
Formatted	...	[303]
Formatted	...	[304]
Formatted	...	[305]
Formatted	...	[306]
Formatted	...	[307]
Deleted: μ		
Formatted	...	[308]
Deleted: x		
Formatted	...	[309]
Deleted: x		
Formatted	...	[310]
Formatted	...	[311]

only 51.2 ns ($= 64 \text{ ns} - (50 \text{ ns} \times 256)$). This value is only 0.08% of the retention time 64 ns and can be completely ignored.

[0070] Since refresh is performed as burst refresh on a block basis, a delay of refresh can of course be absorbed during the operation on the block BK and is not carried over to any of the other blocks BK and not accumulated. A delay of 51.2 ns is the maximum delay through all the word lines. Thus, according to this embodiment, there is substantially no problem due to refresh delay and the internal cycle time T_{ic} can be increased to become close to the external cycle time T_{ec} . Conversely, a speedup can be achieved by using almost all the real ability of the DRAM 10 capable of operating in the internal cycle time T_{ic} . Thus, an SRAM-compatible DRAM capable of internally performing refresh can be provided and an external cycle time T_{ec} close to one half of that of conventional DRAMs can be achieved.

[0071] Thus, from the viewpoint of "cycle time" it can be said that even when the internal cycle time T_{ic} is longer than one half of the external cycle time T_{ec} , an ordinary access operation and a refresh operation can be performed in the externally cycle period T_{ec} with no problem as long as N is an finite number. However, a problem still exists from the viewpoint of "access time" for ordinary access operation. That is, in ordinary cases of SRAMs, in general the cycle time and the access time are equal to each other. Therefore it is desirable that also in this DRAM 10 data read out should become valid within the external cycle time T_{ec} . However, as shown in Figure 8(B), data first read out (the point of the arrow indicating the access time) is not made valid within the external cycle time T_{ec} , and the access time T_{ac} does not satisfy the ordinary SRAM specification. As is apparent from the figure, to enable the access time T_{ac} to satisfy the specification, it is necessary to set the sum of the internal cycle time T_{ic} for refresh operation and the access time T_{ac} within the external cycle time T_{ec} . In the above-described embodiment, the internal cycle time T_{ic} for refresh operation and the internal cycle time T_{ic} for ordinary access operation are equal to each other. In the case of ordinary access operation, however, the cycle time may be increased in some DRAM as a result of failure to immediately start precharge due to some cause such as page or burst

Deleted: μ

Formatted: Font: Times New

Formatted: Font: Times New

Deleted: μ

Formatted: Font: Times New

Deleted: \times

Formatted:

[312]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[313]

Deleted: μ

Formatted:

[314]

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted:

[315]

Formatted: Page Number

readout, although the first data access time does not vary. In such a case, it is not necessary to increase the external cycle time T_{ec} and the access time even if the internal cycle time T_{ic} for ordinary access operation is long.

[0072] Also, the access time T_{ac} immediately after refresh operation and the access time T_{ac} after a succession of ordinary access operations differ from each other, as shown in Figure 8(B). Therefore, it is difficult for a user to use the DRAM because of this problem. Then, a method may be used in which, as shown in Figure 10, access latency T_{lat} is intentionally provided in the specifications to set the sum of the internal cycle time T_{ic} for refresh operation and the internal access time T_{ic} for ordinary access operation as an apparent access time to delay the time at which data becomes valid after a succession of ordinary access operations. The access time T_{ac} is, of course, long, but the cycle time can be shortened. This operation is similar to that in Pipeline Burst SRAM disclosed in Digest of Technical Papers, ISSC91, p.50, Feb. 1991.

[0073] Figure 10 shows cases of operation when $N = 5$, i.e., a case (A) where only ordinary access commands come, such that the access time T_{ac} is intentionally described as an increased time in terms of specification and is longer than the external cycle time T_{ec} ; a case (B) where burst refresh is started when an ordinary access command comes in each period of external cycle time T_{ec} ; and a case (C) where only refresh commands come. In the cases (A) and (B), the access times T_{ac} are always the same with respect to input of access commands unlike those shown in Figure 9(E) when $N = 5$. Even when the access time T_{ac} is longer than the external cycle time T_{ec} , data is successively made valid with the same period as the external cycle time T_{ec} . If data is continuously accessed in this manner, the band width can be increased.

[0074] The present invention has been described with respect to an embodiment thereof. However, the described embodiment is only an example of implementation of the present invention and the present invention is not limited to the described embodiment. The present invention can be implemented by suitably modifying the above-described embodiment without departing from the gist of the invention.

Formatted	...	[316]
Formatted	...	[317]
Formatted	...	[318]
Formatted	...	[319]
Formatted	...	[320]
Formatted	...	[321]
Formatted	...	[322]
Formatted	...	[323]
Formatted	...	[324]
Formatted	...	[325]
Formatted	...	[326]
Formatted	...	[327]
Formatted	...	[328]
Formatted	...	[329]
Formatted	...	[330]
Formatted	...	[331]
Formatted	...	[332]
Formatted	...	[333]
Formatted	...	[334]
Formatted	...	[335]
Formatted	...	[336]
Formatted	...	[337]
Formatted	...	[338]
Formatted	...	[339]
Formatted	...	[340]
Formatted	...	[341]
Formatted	...	[342]
Formatted	...	[343]
Formatted	...	[344]
Formatted	...	[345]
Formatted	...	[346]
Formatted	...	[347]
Formatted	...	[348]
Formatted	...	[349]
Formatted	...	[350]
Formatted	...	[351]
Formatted	...	[352]
Formatted	...	[353]
Formatted	...	[354]
Formatted	...	[355]
Formatted	...	[356]
Formatted	...	[357]
Formatted	...	[358]
Formatted	...	[359]
Formatted	...	[360]
Formatted	...	[361]
Formatted	...	[362]

100751 The semiconductor storage device of the present invention can be used as a DRAM in place of an SRAM particularly in low-power-consumption use.

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Formatted: Font: Times New

Formatted: Left

Deleted: §

3. Brief Description of the Drawings:§

§

Figure 1 is a functional block diagram showing the entire configuration of a DRAM which represents an embodiment of the present invention;§

§

Figure 2 is a functional block diagram showing the configurations of a decoder block and a decoder control circuit shown in Figure 1;§

§

Figure 3 is a functional block diagram showing the configuration of an address selector and a refresh circuit shown in Figure 2;§

§

Figure 4 is a timing chart showing the readout and refresh operations of the DRAM shown in Figures 1 to 3;§

§

Figure 5 is a functional block diagram showing the configuration of a block control circuit shown in Figure 2;§

§

Figure 6 is a functional block diagram showing the configuration of the address selector shown in Figures 2 and 3;§

§

Figure 7 is a timing chart showing the operation of the address selector shown in Figure 6;§

§

Figure 8 is a timing chart showing the burst refresh operation of the DRAM shown in Figures 1 to 3;§

§

Figure 9 is a timing chart showing the burst refresh operation; [363]

Formatted: Page Number

CLAIMS

[Claim 1] A semiconductor storage device comprising:

- a. a memory cell array including a plurality of word lines;
- b. a refresh element configured to generate a request for refresh and sequentially generating refresh addresses;
- c. an address selector adapted to select an access address in response to a request for access, said address selector selecting a refresh address from a plurality of generated refresh addresses in response to the request for refresh;
- d. a word line selector adapted to select a word line from the plurality of word lines in response to the address selected by said address selector; and
- e. a selection disable element for stopping the address selection performed by said address selector while the access or the refresh is being performed in said memory cell array.

[Claim 2] The semiconductor storage device according to Claim 1, wherein said memory cell array is divided into a plurality of blocks, the semiconductor storage device further comprising a block selection element configured to select a block from said plurality of blocks in response to the address selected by said address selector, said selection disable element stopping said address selector from performing address selection while the access or the refresh is being performed on the block selected by said block selection element.

Formatted: Font: Times New

Formatted: r00ffz, Line spacing: 1.5 lines

Deleted: 12 ... Memory cell array
14 ... Row decoder
16 ... Row decoder control circuit
17 ... Refresh circuit
18 ... Address

Deleted: 30 ... Refresh timer
32 ... Address counter
34 ... Refresh enable circuit
40, 42 ... Transistor
46 to 49 ... NAND circuits
54 ... Latch circuit
/AE ... Array enable signal
BUSY, /BUSY ... Busy signal
CD, /CE ... Chip enable signal
RE, /RA ... Refresh enable signal
/RT ... Refresh timer signal
A1, A2 ... Access command (ordinary access operation)
BE ... Block enable signal
BK ... Access array block
BL ... Bit line pair
BLEQ ... Bit line equalization signal
DB ... Decoder block
ERA ... Access row

Formatted: Font: Times New

Deleted: 20 ... Block enable circuit
22 ... Row decoder circuit
24 ... Word line driver
26 ... Block control circuit
28 ... busy signal

Formatted: Font: Times New

Formatted: Font: Times New

Deleted: signal
LT ... Latch signal
MC ... Memory cell
R1, R2, R3,

Formatted: Font: Times New

Deleted: R4 ... Refresh command (refresh operation)

Formatted: Font: Times New

Deleted: RRA ... Refresh row address signal
TAC ... Access time
TAC ... External access [364]

Formatted: Font: Times New

Deleted: (1) A semiconductor storage device comprising:
1 ... [365]

Formatted: Page Number

[Claim 3] The semiconductor storage device according to Claim 2, wherein said word line selector sequentially selects all the word lines one after another with respect to each of said blocks in response to the refresh address selected by said address selector.

[Claim 4] The semiconductor storage device according to Claim 3, wherein said selection disable element further comprises:

a busy signal generation circuit configured to assert a busy signal in response to the request for the access or the refresh, and disabling the busy signal after the access or the refresh on the block selected by said block selection element is completed, and said address selector includes:

an input device adapted to input the access address in response to the request for the access and input the refresh address in response to the request for the refresh; and

a latch element for capturing the input address after the busy signal is disabled.

[Claim 5] The semiconductor storage device according to Claim 4, wherein said busy signal generation circuit includes:

a busy signal line provided in common through said plurality of blocks;

a charge device for charging said busy signal line in response to the request for the refresh;

a discharge device provided in correspondence with each of said plurality of blocks, said discharge device discharging said busy signal line after the access or the refresh on the corresponding block is completed.

Formatted: Font: Times New

Formatted: g, Line spacing: 1.5 lines

Deleted: address selection means for selecting an access address in response to a request for access, said address selection means selecting a refresh address from the refresh addresses in response to the request for refresh;

Formatted: Font: Times New

Formatted: g, Line spacing: 1.5 lines

Deleted: word line selection means for selecting a word line from the plurality of word lines response to the address selected by said address selection means; and

Formatted: Font: Times New

Formatted: ... [366]

Deleted: selection stop

Formatted: Font: Times New

Formatted: ... [368]

Deleted: (?) The

Formatted: ... [369]

Formatted: Font: Times New

Formatted: ... [370]

Deleted: (3)

Deleted: 2

Deleted: word line selection

Formatted: ... [371]

Formatted: ... [372]

Formatted: Font: Times New

Deleted: address select

Formatted: Font: Times New

Deleted: generation me

Formatted: Font: Times New

Formatted: ... [374]

Formatted: Font: Times New

Formatted: ... [375]

Formatted: Font: Times New

Formatted: ... [376]

Deleted: on the block

Formatted: Font: Times New

Formatted: ... [377]

Formatted: Font: Times New

Formatted: ... [378]

Formatted: Page Number

[Claim 6] A refresh method for a semiconductor storage device having a memory cell array including a plurality of word lines, said method comprising the steps of:

- making a request for refresh and sequentially generating refresh addresses;
- selecting an access address in response to a request for access, and selecting a refresh address from the refresh addresses in response to the request for refresh;
- selecting a word line from the word lines in response to the selected address; and
- stopping the selection from the access addresses and the refresh addresses after the access or the refresh is being performed in the memory cell array.

[Claim 7] The refresh method for a semiconductor storage device according to Claim 6, wherein the memory cell array is divided into a plurality of blocks, said refresh method further comprising a step of selecting a block from the blocks in response to the selected address, said stopping step including stopping the selection from the access addresses and the refresh addresses after the access or the refresh on the selected block is being performed.

[Claim 8] The refresh method for a semiconductor storage device according to Claim 7, wherein said selecting step includes selecting all the word lines one after another with respect to each of the blocks in response to the refresh address.

[Claim 9] The refresh method for a semiconductor storage device according to Claim 8, wherein said stopping step includes:

- a busy signal generation step of asserting a busy signal in response to the request for the access or the refresh, and disabling the busy signal after the access or the refresh on the selected block is completed, and said selecting step includes the steps of:

Deleted: latch means for taking in and latching the input address after the busy signal is deactivated.¶

¶
(5) The semiconductor storage device according to Claim 4, wherein said busy signal generation means includes:¶

¶ a busy signal line provided in common through said plurality of blocks; ¶

¶ charge means for charging said busy signal line in response to the request for the refresh;¶

¶ discharge means provided in correspondence with each of said plurality of blocks, said discharge means discharging said busy signal line after the access or the refresh on the corresponding block is completed.¶

¶ ... [379]

Formatted: AB claim, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Deleted: (7)

Formatted: AB claim, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Deleted: (8)

Formatted: AB claim, Line spacing: 1.5 lines

Formatted: Page Number

inputting the access address in response to the request for the access;

inputting the refresh address in response to the request for the refresh; and

capturing and latching the input address after the busy signal is disabled.

(Claim 10) The refresh method for a semiconductor storage device according to Claim 9, wherein the semiconductor storage device further has a busy signal line provided in common through the plurality of blocks, said busy signal generation step includes:

charging the busy signal line in response to the request for the access or the refresh;

discharging the busy signal line after the access or the refresh on the corresponding block is completed.

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Deleted: (9) The refresh method for a semiconductor storage device according to Claim 7 or 8, wherein said stopping step includes:¶
¶
a busy signal generation step of activating a busy signal in response to the request for the access or the refresh, and deactivating the busy signal after the access or the refresh on the selected block is completed, and said selecting step includes the steps of:¶
¶
inputting the access address in response to the request for the access;¶
¶
inputting the refresh address in response to the request for the refresh; and¶
¶
taking in and latching the input address after the busy signal is deactivated.¶
¶
(10)

Formatted: AB claim, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Left, Line spacing: 1.5 lines

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New

Formatted: Font: Times New
Roman

Formatted: Page Number

SEMICONDUCTOR STORAGE DEVICE AND REFRESH METHOD
FOR THE SAME

ABSTRACT

[0076] A DRAM capable of inserting a refresh operation during an ordinary access operation and setting the internal cycle time longer than half the external cycle time. An address selector selects an access row address signal ERA or a refresh row address signal RRA. A row decoder control circuit selects one of several divided blocks of a memory cell array in response to the selected row address signal RA, and selects word lines by a row decoder circuit. When the operation starts at one of the blocks, a busy signal/BUSY is activated to inhibit selection performed by the address selector. When the operation ends, the busy signal/BUSY is deactivated to cancel the inhibition of selection by the address selector. Therefore, the row address signal ERA or RRA input earlier acts with priority and the row address signal RRA or ERA subsequently input is made to wait until the preceding operation ends.

Formatted: Left

Deleted: ----- Page Break -----
[Document type] Abstract

Deleted: [title of the invention]
§ Semiconductor storage device and refresh method for the same
§ [Abstract]
§ [Object]
§ To provide a DRAM capable of inserting a refresh operation during ordinary access operation and setting the internal cycle time longer than half the external cycle time. §
§ [Solution]
§ An address selector 18 selects an access row address signal ERA or a refresh row address signal RRA. A row decoder control circuit 16 selects one of divided blocks of a memory cell array in response to the selected row address signal RA, and selects word lines by a row decoder circuit 22. When the operation starts at one of the blocks, a busy signal/BUSY is activated to inhibit selection performed by the address selector 18. When the operation ends, the busy signal/BUSY is inactivated to cancel the inhibition of selection by the address selector 18. Therefore, the row address signal ERA or RRA input earlier acts with priority and the row address signal RRA or ERA subsequently input is made to wait until the preceding operation ends. §
§ [Selected Drawing] Figure 25
§

Formatted: Justified

Formatted: Page Number

Page 1: [1] Deleted	Deborah Drury	4/24/2006 1:38 PM
1. <u>Title of the Invention:</u>		

Semiconductor storage device and refresh method for the same

2. Detailed Description of the Invention:

[

Page 1: [2] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman, All caps		
Page 1: [2] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman, All caps		
Page 1: [3] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 1: [4] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 1: [5] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [5] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [5] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [5] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [5] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [6] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman, All caps		
Page 1: [7] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 1: [8] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [8] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [8] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [9] Deleted	Deborah Drury	4/24/2006 1:38 PM
DRAMs, however, need refresh		

Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [10] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [11] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 1: [12] Deleted Patent document 1 shown below	Deborah Drury	4/24/2006 1:38 PM
Page 1: [13] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [14] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [15] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM

Page 1: [16] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 1: [17] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [17] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [18] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [19] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 4: [20] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 3: [21] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [22] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [23] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [24] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [25] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [26] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [27] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [28] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [29] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 4: [30] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 3: [31] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 4: [32] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 3: [33] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 3: [34] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		

Page 3: [35] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [36] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [37] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [38] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [39] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [40] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [41] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [42] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [43] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [44] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [45] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [46] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [47] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [48] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 4: [49] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 3: [50] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 4: [51] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 3: [52] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [53] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [54] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 3: [55] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 3: [56] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [57] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [58] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [59] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [60] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [61] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [62] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [63] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 4: [64] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Left, Line spacing: 1.5 lines

Page 1: [65] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Page Number

Page 5: [66] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Page 3: [67] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [67] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [67] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [67] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [67] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 5: [68] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Left, Line spacing: 1.5 lines

Page 5: [69] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt

Page 3: [70] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [70] Formatted	Deborah Drury	4/24/2006 1:38 PM
------------------------	---------------	-------------------

Font: Times New Roman

Page 3: [70] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [71] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 5: [72] Formatted Font: Times New Roman, All caps	Deborah Drury	4/24/2006 1:38 PM
Page 5: [73] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 5: [74] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [74] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [74] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [75] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 5: [76] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 5: [77] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [77] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [78] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [78] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [78] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [78] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [79] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [79] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [79] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [79] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [79] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 5: [79] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [80] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [80] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [80] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [80] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [80] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [81] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 5: [82] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 5: [83] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [83] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [83] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [83] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [84] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 5: [85] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [86] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [87] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [88] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [88] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [88] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [88] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [89] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [89] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [89] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 5: [89] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 5: [89] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [90] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [90] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [90] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [90] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [91] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 6: [91] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [92] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [93] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [94] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [95] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Font: Times New Roman

Page 7: [97] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [98] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [99] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [99] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [100] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [101] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [102] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [103] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [104] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [105] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 9: [106] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [107] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 9: [108] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [109] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [110] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 7: [111] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [112] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [113] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [114] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [115] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [116] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 9: [117] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [118] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 9: [119] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [120] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [121] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [122] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [123] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [124] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [125] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [126] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [127] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [128] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [129] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [130] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [131] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 7: [132] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [133] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [134] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [135] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 9: [136] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 7: [137] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 9: [138] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 7: [139] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [140] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [141] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [142] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [143] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [144] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [145] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 1: [146] Formatted	Deborah Drury	4/24/2006 1:38 PM
Page Number		
Page 7: [147] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [148] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [149] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 10: [150] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 7: [151] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		

Page 10: [152] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 7: [153] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [154] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [155] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [156] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [157] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [158] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [159] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [160] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [161] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [162] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [163] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [164] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 10: [165] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 7: [166] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 10: [167] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 7: [168] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [169] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [170] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 7: [171] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		

Page 7: [172] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [173] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [174] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [175] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [176] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [177] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [178] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [179] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [180] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 10: [181] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [182] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 10: [183] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [184] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [185] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [186] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [187] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [188] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [189] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [190] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [191] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [192] Formatted	Deborah Drury	4/24/2006 1:38 PM

Page Number

Page 7: [193] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [194] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [195] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [196] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [197] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [198] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [199] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [200] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 11: [201] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [202] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 11: [203] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [204] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [205] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [206] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [207] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [208] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [209] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [210] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [211] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [212] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 11: [213] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [214] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 11: [215] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [216] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [217] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [218] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [219] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [220] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [221] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [222] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [223] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [224] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [225] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [226] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [227] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 11: [228] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 7: [229] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 11: [230] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 7: [231] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 7: [232] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

[illegible]

[illegible]

Page 12: [244] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [244] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [245] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [245] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [245] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [245] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [246] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [247] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [247] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [247] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [247] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

[illegible]

Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [250] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [251] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [251] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [251] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 12: [252] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 14: [253] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 14: [253] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 14: [254] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 14: [254] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 14: [255] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 14: [255] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [256] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 15: [257] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 15: [258] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 15: [259] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 15: [260] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 15: [261] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 15: [262] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 15: [263] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [263] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [264] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [264] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [264] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [264] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [265] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 15: [266] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 15: [267] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 15: [267] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [267] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [267] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [267] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [268] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 15: [269] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [270] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 15: [271] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 15: [272] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 16: [273] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		

Page 15: [274] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 15: [274] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [275] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [275] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [275] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [276] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [277] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [278] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [279] Formatted Font: Times New Roman, German (Germany)	Deborah Drury	4/24/2006 1:38 PM
Page 16: [280] Formatted Font: Times New Roman, German (Germany)	Deborah Drury	4/24/2006 1:38 PM
Page 16: [281] Formatted Font: Times New Roman, German (Germany)	Deborah Drury	4/24/2006 1:38 PM
Page 16: [281] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [282] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [283] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [284] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [285] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [286] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [286] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [286] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [287] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 16: [288] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [289] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [290] Formatted Font: Times New Roman, German (Germany)	Deborah Drury	4/24/2006 1:38 PM
Page 16: [291] Formatted Font: Times New Roman, German (Germany)	Deborah Drury	4/24/2006 1:38 PM
Page 16: [291] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [292] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [293] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [294] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [295] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [296] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [296] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [296] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [297] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [298] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [299] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [300] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [301] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [301] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [302] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [302] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 16: [302] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [303] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [304] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 16: [305] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [306] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [307] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [308] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [309] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [310] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 16: [310] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 1: [311] Formatted Page Number	Deborah Drury	4/24/2006 1:38 PM
Page 17: [312] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [312] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

[illegible]

Font: Times New Roman

Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [315] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [316] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [317] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [318] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [319] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 18: [320] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 17: [321] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 18: [322] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 17: [323] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [324] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [325] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [326] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [327] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [328] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [329] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [330] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [331] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [332] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [333] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [334] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [335] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [336] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 18: [337] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines		
Page 17: [338] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 18: [339] Formatted	Deborah Drury	4/24/2006 1:38 PM
Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt		
Page 17: [340] Formatted	Deborah Drury	4/24/2006 1:38 PM
Font: Times New Roman		
Page 17: [341] Formatted	Deborah Drury	4/24/2006 1:38 PM

Font: Times New Roman

Page 17: [342] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [343] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [344] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [345] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [346] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [347] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [348] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [349] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [350] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [351] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [352] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 18: [353] Formatted Left, Line spacing: 1.5 lines	Deborah Drury	4/24/2006 1:38 PM
Page 17: [354] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 18: [355] Formatted Left, Line spacing: 1.5 lines, Numbered + Level: 1 + Numbering Style: 01, 02, 03, ... + Start at: 1 + Alignment: Left + Aligned at: 0 pt + Tab after: 36 pt + Indent at: 0 pt	Deborah Drury	4/24/2006 1:38 PM
Page 17: [356] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [357] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [358] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [359] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [360] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM
Page 17: [361] Formatted Font: Times New Roman	Deborah Drury	4/24/2006 1:38 PM

Page 1: [362] Formatted	Deborah Drury	4/24/2006 1:38 PM
Page Number		
Page 19: [363] Deleted	Deborah Drury	4/24/2006 1:38 PM

3. Brief Description of the Drawings:

Figure 1 is a functional block diagram showing the entire configuration of a DRAM which represents an embodiment of the present invention;

Figure 2 is a functional block diagram showing the configurations of a decoder block and a decoder control circuit shown in Figure 1;

Figure 3 is a functional block diagram showing the configuration of an address selector and a refresh circuit shown in Figure 2;

Figure 4 is a timing chart showing the readout and refresh operations of the DRAM shown in Figures 1 to 3;

Figure 5 is a functional block diagram showing the configuration of a block control circuit shown in Figure 2;

Figure 6 is a functional block diagram showing the configuration of the address selector shown in Figures 2 and 3;

Figure 7 is a timing chart showing the operation of the address selector shown in Figure 6;

Figure 8 is a timing chart showing the burst refresh operation of the DRAM shown in Figures 1 to 3;

Figure 9 is a timing chart showing the burst refresh operation as in shown in Figure 8, and particularly showing the operation with respect to various numbers set as N number of ordinary access operations inserted after a refresh operation; and

Figure 10 is a timing chart showing cases of operation when $N = 5$, corresponding to the case shown in Figure 9(E): a case (A) where only access operation is performed; a case (B) where refresh and access operations are mixed; and a case (C) where only refresh operation is performed.

[Description of symbols]

Page 20: [364] Deleted	Deborah Drury	4/24/2006 1:38 PM
RRA ... Refresh row address signal		
Tac ... Access time		
Tec ... External access time		
Tic ... Internal access time		
WL ... Word line		

4. Claims:

Page 20: [365] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

(1) A semiconductor storage device comprising:

a memory cell array including a plurality of word lines;

refresh means for making a request for refresh and sequentially generating refresh addresses;

Page 21: [366] Formatted	Deborah Drury	4/24/2006 1:38 PM
---------------------------------	----------------------	--------------------------

Left, Line spacing: 1.5 lines

Page 21: [367] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

selection stop means for stopping address selection performed by said address selection means while the access or the refresh is being performed in said memory cell array.

Page 21: [368] Formatted	Deborah Drury	4/24/2006 1:38 PM
---------------------------------	----------------------	--------------------------

ryŃ ŷřŷ, Line spacing: 1.5 lines

Page 21: [369] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

(2) The semiconductor storage device according to Claim 1, wherein said memory cell array is divided into a plurality of blocks, the semiconductor storage device further comprising block selection means for selecting a block from said plurality of blocks in response to the address selected by said address selection means, said selection stop means stopping said address selection means from performing address selection while the access or the refresh is being performed on the block selected by said block selection means.

Page 21: [370] Formatted	Deborah Drury	4/24/2006 1:38 PM
---------------------------------	----------------------	--------------------------

Left, Line spacing: 1.5 lines

Page 21: [371] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

word line selection means selects all the word lines one after another with respect to each of said blocks in response to the refresh address selected by

Page 21: [372] Formatted	Deborah Drury	4/24/2006 1:38 PM
---------------------------------	----------------------	--------------------------

Left, Line spacing: 1.5 lines

Page 21: [373] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

address selection means.

(4) The semiconductor storage device according to Claim 2 or 3, wherein said selection stop means includes:

Page 21: [374] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

generation means for activating a busy signal

Page 21: [375] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

access or the refresh, and deactivating the busy signal after the access or the

Page 21: [376] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

on the block selected by said block selection means is completed, and said address selection means includes:

Page 21: [377] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

input means for inputting the access address in response to the request for the access, and inputting the refresh address in response to the request for the refresh; and

Page 21: [378] Formatted	Deborah Drury	4/24/2006 1:38 PM
---------------------------------	----------------------	--------------------------

g, Line spacing: 1.5 lines

Page 22: [379] Deleted	Deborah Drury	4/24/2006 1:38 PM
-------------------------------	----------------------	--------------------------

latch means for taking in and latching the input address after the busy signal is deactivated.

(5) The semiconductor storage device according to Claim 4, wherein said busy signal generation means includes:

a busy signal line provided in common through said plurality of blocks;

charge means for charging said busy signal line in response to the request for the refresh;

discharge means provided in correspondence with each of said plurality of blocks, said discharge means discharging said busy signal line after the access or the refresh on the corresponding block is completed.

(6)